



# RMDDU 17A



The RMDDU is a rugged 2U rack-mount drawer with dual-screen LCD monitors. The displays fold together, then down, and slide in for storage.

Actron A48028 strut assembly not included.

# Technical Specifications

PRODUCT	RMDDU 17A
DISPLAY	DUAL 17.3" FULL HD 1920 X 1080, 16:9 DISPLAY
VIEWING ANGLE	DISPLAYS TILT ~15° FROM VERTICAL
PORTS	2X USB PASS THROUGH INPUTS ON FRONT + 1X USB INPUTS ON REAR, ANALOG VGA, DVI-D, HD-SDI, S VIDEO-IN FOR EACH DISPLAY
POWER SUPPLY	18 - 36 VDC
KEYBOARD & MOUSE	101 KEYS BACKLIT KEYBOARD WITH TOUCHPAD AND ADJUSTABLE BRIGHTNESS. RESISTIVE TOUCHPAD OPTIONAL: WATERPROOF KEYBOARD
DIMENSIONS	HEIGHT: 2U - 3.46" (88MM) WIDTH: 17.76" (451MM) DEPTH: 25.89" (657.6MM)
WEIGHT	~42 LBS (19KG)
TEMPERATURE	MIL-STD-810E (501.4, 502.4), OPERATING: 0 ~ 50°C, NON-OPERATING: -40 ~ 70°C
HUMIDITY	MIL-STD-810E (507.2), RELATIVE HUMIDITY: 5% TO 95% OPERATING, NON-CONDENSING
ALTITUDE	MIL-STD-810E (500.3), OPERATING: 15,000 FT (4571.8 M), NON-OPERATING: 40,000 FT (12,192 M)
VIBRATION	MIL-STD-810E (514.4), OPERATING: 10 TO 500 HZ 1.04 G (RMS)
SHOCK	MIL-STD-810E (516.4), OPERATING: 15 G, 8 MS 1/2 SINE, NON-OPERATING: 40 G, 8 MS 1/2 SINE
DROP	4" STAND ALONE, 39" TRANSIT DROP IN TRANSIT CASE

\* The technical specifications are an example of the system's capabilities. They can be customized specifically for your needs. If you have any questions, feel free to contact one of our sales representatives.



## Headquarters - USA

ACME Portable Machines, Inc.  
1330 Mountain View Circle,  
Azusa, CA, 91702, USA  
Tel: +1 626.610.1888  
Fax: +1 626.610.1881  
[www.acmeportable.com](http://www.acmeportable.com)

## Germany

ACME Portable Computer GmbH  
Benzstraße 15,  
76185 Karlsruhe, Germany  
Tel: +49.721.570.4530  
Fax: +49.721.570.45329  
[www.acmeportable.de](http://www.acmeportable.de)

## Taiwan

ACME Portable Corp.  
5F, No 25, Wuquan 3rd Road,  
Wugu Dist., New Taipei City 248,  
Taiwan R.O.C  
Tel: +886.2.2298.3636  
Fax: +886.2.2298.3737  
[www.acmeportable.com.tw](http://www.acmeportable.com.tw)